


alle Ecken und Kanten  
abgerundet.  
radius ca. 0,75mm



Elektrode von Hand poliert (frei von Kratzern und Riefen)

Reinigung nach Technischer Richtlinie 6.2

Copying of this document and giving it to others and the use of communication of the contents thereof are forbidden without express authority. Offenders are liable to the payment of damages. All rights are reserved in the event of the grant of a patent or the registration of a utility model or design.	<b>Projection</b> 		<b>Rev. No.</b> -	<b>Rev.-Doc.-No.</b>	<b>Date</b>	<b>Name</b>
	<b>Surfaces</b> DIN ISO 1302		For information			
 Helmholtzzentrum für Schwerionenforschung GmbH Planckstrasse 1, 64291 Darmstadt	<b>Dimensions without tolerance indication</b> DIN ISO 2768-mK EN ISO 13920-BF		<b>Weight</b> <b>Material</b> 1.4301 (X5CrNi18-10)		<b>Scale</b> 2:1	
	<b>Date</b> 29.07.2013	<b>Name</b> Hartung, M.	<b>Description</b> Seitenelektrode 55mm			<b>Size</b> A4
<b>Drawn</b>	<b>Checked</b>	<b>Approved</b>	<b>Drawing No.</b> STD-000-L01.071.006		<b>Rev.</b> -	<b>Sheet</b> 1 <b>of</b> 1
<b>IP</b>		<b>Prev. Dwg.</b>		<b>Repl. for</b>		